

# Golden Corydalis



**Scientific Name** *Corydalis aurea*  
Willd.

**Family Name** Fumariaceae  
Fumitory Family

## Did you know?

The seeds of golden corydalis have a nutrient-rich appendage, or aril, typically found in plant wildflower species attractive to ants. The ants collect the arils, which in turn serves to disperse the seeds. The corms of *Corydalis* and related plants contain alkaloids used in traditional Native American and Chinese medicines.

## Summary

**Protection** Threatened in New York State, not listed federally.

This level of state protection means: listed species are those with: 1) 6 to fewer than 20 extant sites, or 2) 1,000 to fewer than 3,000 individuals, or 3) restricted to not less than 4 or more than 7 U.S.G.S. 7 ½ minute topographical maps, or 4) listed as threatened by U.S. Department of Interior.

**Rarity** G5, S2

A global rarity rank of G5 means: This species is demonstrably secure globally, though it may be quite rare in parts of its range, especially at the periphery.

A state rarity rank of S2 means: This plant is threatened/imperiled in New York because of rarity (typically 6-20 populations or few remaining individuals) or is vulnerable to extirpation from New York due to biological factors.

## Conservation Status in New York

In New York there are 9 verified, current locations for golden corydalis; 3 of these occurrences are very small. There are about 10 historical locations need to be checked.

## Short-term Trends

The transitory nature of this species, which may appear for only a few years following a disturbance but persist in the seed bank and re-appear when conditions are favorable, make it difficult to track at any given location.

## Long-term Trends

More inventory of historical locations is needed in order to better assess long-term trends for New York populations of this species.

# Conservation and Management

## Threats

Changes in disturbance regime (both natural and human disturbance) could threaten occurrences of this species.

## Conservation Strategies and Management Practices

Regular disturbance may be needed for populations of golden corydalis to persist over time.

## Research Needs

Additional inventory of historical sites, as well as monitoring of extant sites as conditions change, is needed.

# Habitat

In New York golden corydalis is known primarily from dry, rocky calcareous sites, including alvar and limestone pavements, barrens, summits, and woodlands (New York Natural heritage program 2007). In other states it also occurs on gravelly shores, rock ledges and summits, piney woodlands, and disturbed sites such as clearings, trails, and gravel or sand pits (Voss 1985, Rhoads and Block 2000).

## Associated Ecological Communities

### Alvar Grassland

A community that occurs on shallow soils over level outcrops of calcareous bedrock (limestone or dolomite). Apparently alvar grasslands are restricted to areas that are seasonally flooded in spring or after heavy rainfall, as well as seasonally dry by late summer.

### Alvar Woodland

A subset of the limestone woodland community restricted to the alvar region in Jefferson County, New York.

### Calcareous Pavement Barrens

A savanna community that occurs on nearly level outcrops of calcareous bedrock (limestone or dolomite). The community consists of a mosaic of shrub-savanna, grass-savanna, and rock outcrop vegetation.

### Calcareous Shoreline Outcrop

A community that occurs along the shores of lakes and streams on outcrops of calcareous rocks such as limestone and dolomite. The vegetation is sparse; most plants are rooted in rock crevices.

## **Limestone Woodland**

A woodland that occurs on shallow soils over limestone bedrock in non-alvar settings, and usually includes numerous rock outcrops. There are usually several codominant trees, although one species may become dominant in any one stand.

## **Other Probable Associated Communities**

Alvar shrubland  
Calcareous cliff community  
Calcareous red cedar barrens  
Calcareous talus slope woodland  
Cliff community  
Dwarf pine ridges  
Northern white cedar rocky summit  
Pitch pine-oak-heath rocky summit  
Red cedar rocky summit  
Shale cliff and talus community  
Successional red cedar woodland

## **Associated Species**

Northern Maidenhair-fern (*Adiantum pedatum*)  
Climbing Fumitory (*Adlumia fungosa*)  
American Harebell (*Campanula rotundifolia*)  
Back's Sedge (*Carex backii*)  
Short-scale Sedge (*Carex deweyana*)  
Bristleleaf Sedge (*Carex eburnea*)  
Rosy Sedge (*Carex rosea*)  
Northern Wild Comfrey (*Cynoglossum virginianum*)  
Marginal Wood Fern (*Dryopteris marginalis*)  
Virginia Strawberry (*Fragaria virginiana*)  
Bicknell's Cranesbill (*Geranium bicknellii*)  
Red Cedar (*Juniperus virginiana*)  
Hophornbeam (*Ostrya virginiana*)  
Eastern White Pine (*Pinus strobus*)  
Canada Bluegrass (*Poa compressa*)  
Red Oak (*Quercus rubra*)  
Virginia Saxifrage (*Saxifraga virginiana*)  
Northern White Cedar (*Thuja occidentalis*)  
White Basswood (*Tilia americana*)  
Eastern Poison Ivy (*Toxicodendron radicans*)


## **Identification Comments**

### **Best Life Stage for Identifying This Species**

Golden corydalis is best identified when in flower.

## The Best Time to See

Golden corydalis may be found flowering from May into September; fresh flowers found in late summer may be the product of fruit from early-blooming plants of the same season. The leaves senesce but persist into flowering and fruiting. Flowering specimens are best for identification and collection purposes.



The time of year you would expect to find Golden Corydalis in New York.

## Similar Species

*Corydalis flavula*, the only other yellow-flowered corydalis in New York, has similar leaves but its flowers are about half the size of those of *C. aurea*, and have a prominent crest or wing on the outer petal not found in golden corydalis. *Corydalis flavula* also is typically found in wetter and/or less open sites than *C. aurea*.

Golden corydalis may grow alongside *Corydalis sempervirens* (Rock Harlequin, or Pale Corydalis), which has pink to purplish flowers. In vegetative form *C. aurea* differs from *C. sempervirens* by its less glaucous leaves and stems, more sprawling habit, and more finely dissected leaves.

## Taxonomy

Kingdom Plantae

└ Phylum Anthophyta

└ Class Dicots (Dicotyledoneae)

└ Order Papaverales

└ Family Fumariaceae (Fumitory Family)

## Synonyms

*Capnoides aureum* ((Willd.) Kuntze)

## Additional Resources

### Links

#### USDA Plants Database

<http://plants.usda.gov/java/nameSearch?mode=sciname&keywordquery=CORYDALIS+AUREA>

#### NatureServe Explorer

<http://natureserve.org/explorer/servlet/NatureServe?searchName=CORYDALIS+AUREA>

## Google Images

<http://images.google.com/images?q=CORYDALIS+AUREA>

## Best Identification Reference

Gleason, Henry A. and A. Cronquist. 1991. *Manual of Vascular Plants of Northeastern United States and Adjacent Canada*. The New York Botanical Garden, Bronx, New York. 910 pp.

## References

Holmgren, Noel. 1998. *The Illustrated Companion to Gleason and Cronquist's Manual. Illustrations of the Vascular Plants of Northeastern United States and Adjacent Canada*. The New York Botanical Garden, Bronx, New York.

House, Homer D. 1924. Annotated list of the ferns and flowering plants of New York State. *New York State Museum Bulletin* 254:1-758.

Keys, Jr., J.; Carpenter, C.; Hooks, S.; Koenig, F.; McNab, W.H.; Russell, W.; Smith, M.L. 1995. *Ecological units of the eastern United States - first approximation (cd-rom)*, Atlanta, GA: U.S. Department of Agriculture, Forest Service. GIS coverage in ARC/INFO format, selected imagery, and map unit tables.

Mitchell, R. S. 1983. *Berberodaceae through Fumariaceae of New York State*. *New York State Museum Bull.* 451: 1-66.

Mitchell, Richard S. and Gordon C. Tucker. 1997. *Revised Checklist of New York State Plants. Contributions to a Flora of New York State. Checklist IV. Bulletin No. 490*. New York State Museum. Albany, NY. 400 pp.

NatureServe. 2005. *NatureServe Central Databases*. Arlington, Virginia. USA

New York Natural Heritage Program. 2010. *Biotics database*. New York Natural Heritage Program. New York State Department of Environmental Conservation. Albany, NY.

Rhoads, Ann F. and Timothy A. Block. 2000. *The Plants of Pennsylvania, an Illustrated Manual*. University of Pennsylvania Press, Philadelphia, PA.

Smith, Gerald A. No date. *Bird breeding season survey at El Dorado Beach Preserve 1981-*

Voss, E.G. 1985. *Michigan Flora. Part II. Dicots (Saururaceae - Cornaceae)*. Cranbrook Institute of Science and University of Michigan Herbarium. Ann Arbor, Michigan. 724 pp.

Weldy, T. and D. Werier. 2010. *New York flora atlas*. [S.M. Landry, K.N. Campbell, and L.D. Mabe (original application development), Florida Center for Community Design and Research <http://www.fccdr.usf.edu/>. University of South Florida <http://www.usf.edu/>]. New York Flora Association <http://www.nyflora.org/>, Albany, New York

---

### New York Natural Heritage Program

625 Broadway, 5th Floor,  
Albany, NY 12233-4757  
Phone: (518) 402-8935  
[acris@nynhp.org](mailto:acris@nynhp.org)

This project is made possible with funding from:

- New York State Department of Environmental Conservation Hudson River Estuary Program
- Division of Lands & Forests, Department of Environmental Conservation
- New York State Office of Parks, Recreation and Historic Preservation

Information for this guide was last updated on Aug 21, 2017

This guide was authored by